

according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 7225 Autocleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

detergent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: DINOL GmbH

Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: +49 (0) 5281 9829 80 Telefax: +49 (0) 5281 9829 860

Responsible Department: msds@dinol.com

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 790 (Consultation in German and English)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful

R phrases:

Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

2.2. Label elements

Hazardous components which must be listed on the label

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Signal word: Danger Pictograms: GHS08



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of this material and its container to hazardous or special waste collection point.



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 2 of 8

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	95 - < 100 %
64742-48-9	Xn - Harmful R65-66	
649-327-00-6	Asp. Tox. 1; H304 EUH066	
01-2119457273-39		
231-057-1	2-ethylhexyl-2-ethylhexanoate	1 - < 3 %
7425-14-1	Repr. Cat. 3 R63	
607-622-00-7	Repr. 2; H361d	

Full text of R-, H- and EUH-phrases: see section 16.

Further Information

Note: Each entry in the column EC number that begins with the number "9" is - until the publication the official registration number - one specified by ECHA provisional number for the substance. The above-mentioned substance(s) in this product is (are) identified by CAS number and indeed in Countries that are not subject to the REACH Regulation, or in a regulation which is not in accordance with new naming convention for hydrocarbons have been updated.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

After inhalation

Provide fresh air. In case of irregular breathing or respiratory arrest provide artificial respiration.

If unconscious place in recovery position and seek medical advice.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Call a physician immediately. Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

Nausea, Dizziness, Headache.



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 3 of 8

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Dry sand.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Danger of serious damage to health by prolonged exposure. Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

Take precautionary measures against static discharge.

Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place.



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 4 of 8

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

Further information on storage conditions

Keep container dry.

Protect against direct sunlight.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feeding stuffs.

When using do not eat or drink.

Wash hands before breaks and after work.

Avoid contact with skin and eyes.

Remove contaminated, saturated clothing immediately.

Do not breathe gas/vapour/aerosol.

Eye/face protection

Eye glasses with side protection

Hand protection

Suitable gloves type:

 ${\sf FKM} \ ({\sf fluoro}\ {\sf rubber}),\ {\sf Breakthrough}\ {\sf time}\ ({\sf maximum}\ {\sf wearing}\ {\sf time}) {\sf :}\ {\sf 480}\ {\sf min}$

NBR (Nitrile rubber), Breakthrough time (maximum wearing time): 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: A/P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: Gasoline

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

not determined

180 °C

not determined



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015	Product code: 5337	Page 5 of 8

Softening point:

Pour point:

rot determined

not determined

rot determined

rot determined

rot determined

Flammability

Solid: not determined
Gas: not determined

Explosive properties

not determined

Lower explosion limits: 0,6
Upper explosion limits: 7

Ignition temperature: >200 °C

Auto-ignition temperature

Solid: not determined
Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure: 0,5 hPa
Density: 0,79 g/cm³

Bulk density: not determined Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Viscosity / kinematic:

not determined

Viscosity / kinematic:

not determined

Flow time:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content: 98 %

9.2. Other information

Solid content: 2 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

In case of warming: Danger of polymerisation



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 6 of 8

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50	>2000 mg/kg	Rat	
	dermal	LD50	>2000 mg/kg	Rabbit	
7425-14-1	2-ethylhexyl-2-ethylhexanoate				
	oral	LD50	>5000 mg/kg	Rat	

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation/mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
7425-14-1	2-ethylhexyl-2-ethylhexanoate					
	Acute crustacea toxicity	EC50	>100 mg/l		Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(>1000 mg/l)		0,5 h	Activated sludge	

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	•	•		
7425-14-1	2-ethylhexyl-2-ethylhexanoate				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	>60%	28		
	Biodegradable.				

12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7425-14-1	2-ethylhexyl-2-ethylhexanoate	6,61

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 7 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Do not mix with other wastes. List of proposed waste codes/waste designations in accordance with EWC:

Waste disposal number of waste from residues/unused products

080117

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; wastes from paint or varnish removal containing organic solvents or other dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>

14.2. UN proper shipping name:
14.3. Transport hazard class(es):

14.4. Packing group:

Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number:</u>

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine pollutant: no

Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

Air transport (ICAO)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture





according to Regulation (EC) No 1907/2006

DINITROL 7225 Autocleaner

Print date: 16.02.2015 Product code: 5337 Page 8 of 8

EU regulatory information

2004/42/EC (VOC): 98 % (774,2 g/l)

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

Possible risk of harm to the unborn child.
Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.
H361d Suspected of damaging the unborn child.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)