

Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Dinitrol ML Spray

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Anticorrosion additive

 \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: DINOL GmbH Pyrmonter Str. 76 D-32676 Lügde Tel: +49 5281 9829 80 Fax: +49 5281 9829 860 E-mail: msds@dinol.com

• Further information obtainable from: Research & Development

· 1.4 Emergency telephone number:

Giftnotruf Berlin +49(0)30 30686 790 Beratung in Deutsch und Englisch.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

GHS07STOT SE 3H336May cause drowsiness or dizziness.Asp. Tox. 1H304May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: Naphtha (petroleum), hydrotreated heavy Naphtha (petroleum), hydrotreated heavy
 Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H336 May cause drowsiness or dizziness.
 Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P251 Pressurized container: Do not pierce or burn, even after use. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 2)

GB



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

(Contd. of page 1)
P405 Store locked up.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional information:
EUH066 Repeated exposure may cause skin dryness or cracking.
Contains Calcium Sulfonate. May produce an allergic reaction.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.
Buildup of explosive mixtures possible without sufficient ventilation.

· 2.3 Other hazards

The petroleum naphtha / petroleum distillate / lubricating oil meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with additions.

· Dangerous components:		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	25-<50%
EC number: 919-857-5 Reg.nr.: 01-2119463258-33	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; ሳ STOT SE 3, H336	
CAS: 74-98-6	Propane liquefied	10-<25%
EINECS: 200-827-9	🚸 Flam. Gas 1, H220; Press. Gas C, H280	
CAS: 106-97-8	Butane, pure	10-<25%
EINECS: 203-448-7	🚸 Flam. Gas 1, H220; Press. Gas C, H280	
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	1-<5%
EINECS: 265-150-3	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🜗 STOT SE 3, H336	
CAS: 61789-86-4	Calcium Sulfonate	1-<5%
	() Skin Sens. 1B, H317	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air or oxygen; call for doctor.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Avoid contact with skin, eyes and clothes.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Absorb liquid components with liquid-binding material.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Use only in well ventilated areas.

• Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Do not seal receptacle gas tight.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

	l parameters
-	s with limit values that require monitoring at the workplace:
	Butane, pure
	t-term value: 1810 mg/m ³ , 750 ppm
	g-term value: 1450 mg/m³, 600 ppm c (if more than 0.1% of buta-1.3-diene)
DNELs	
	9 Naphtha (petroleum), hydrotreated heavy
04742-48-5 Oral	Long-term - systemic effects, general population 125 mg/kg bw/day (General Population)
	Long-term - systemic effects, general population 125 mg/kg bw/day (General population)
	Long-term - systemic effects, worker 208 mg/kg bw/day (Worker)
	Long-term - systemic effects, general population 185 mg/m3 (General Population)
	Long-term - systemic effects, worker 871 mg/m3 (Worker)
Additional	information: The lists valid during the making were used as basis.
	filter device: Filter AX
Protection	of hands:
MJ2	Protective gloves
and varies resistance of application Nitrile rubb Recomment Penetration	on of the suitable gloves does not only depend on the material, but also on further marks of quali- from manufacturer to manufacturer. As the product is a preparation of several substances, the of the glove material can not be calculated in advance and has therefore to be checked prior to the the ber ded thickness of the material: $\geq 0,12$ mm n time of glove material
> 480 min. The exact l observed. Eye protect	break trough time has to be found out by the manufacturer of the protective gloves and has to
	Tightly sealed goggles



*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

(Contd. of page 4)

9.1 Information on basic physical a	und chemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-44 °C
Flash point:	< -20 °C (DIN 53213)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	> 200 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou
	mixtures are possible.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	10.9 Vol %
Vapour pressure At 20 °C:	8300 hPa
Density At 20 °C:	0.75 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	63.8 %
Solids content:	36.2 % (DIN 53216)
9.2 Other information	No further relevant information available.
<i>VOC (EU):</i>	63.79 %
<i>VOC (EU):</i>	478.4 g/l
VOCV:	63.79 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

(Contd. of page 5)

Trade name: Dinitrol ML Spray

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

 \cdot 11.1 Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 >5000 mg/kg (RAT)

Dermal LD50 >5000 mg/kg (RABBIT)

Inhalative LC50/4 h > 4951 mg/l (RAT)

106-97-8 Butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

64742-48-9 Naphtha (petroleum), hydrotreated heavy

 Oral
 LD50
 >5000 mg/kg (RAT)

 Dermal
 LD50
 >3000 mg/kg (RAT)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

 $\cdot \textit{Respiratory or skin sensitisation Based on available data, the classification criteria are not met.}$

· Additional toxicological information: No further relevant information available.

• Ingestion: Risk of chemical pneumonia if the product reaches the lungs at vomiting or similar.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of as dangerous waste.

· European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 05 00 gases in pressure containers and discarded chemicals

16 05 04* gases in pressure containers (including halons) containing dangerous substances

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
ΙΑΤΑ	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
•		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
Danger code (Kemler):	<u>-</u>	
EMS Number:	F- D , S - U	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ)	1L	



Printing date 29.07.2015

Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

	(Contd. of page	7)
\cdot Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· Transport category	2	
• Tunnel restriction code	D	
· IMDG		-
· Limited quantities (LQ)	1L	
\cdot Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1	

SECTION 15: Regulatory information


 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Naphtha (petroleum), hydrotreated heavy Naphtha (petroleum), hydrotreated heavy · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H336 May cause drowsiness or dizziness. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P251 Pressurized container: Do not pierce or burn, even after use. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · National regulations: · Technical instructions (air):



• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

⁻ GB

DINCL

Printing date 29.07.2015

Safety data sheet according to 1907/2006/EC, Article 31 Version number 12

Revision: 21.07.2015

Trade name: Dinitrol ML Spray

	(Contd. of page 8)
Relevant phrases	
H220 Extremely flammable gas.	
H226 Flammable liquid and vapour.	
H280 Contains gas under pressure; may explode if heated.	
H304 May be fatal if swallowed and enters airways.	
H317 May cause an allergic skin reaction.	
H336 May cause drowsiness or dizziness.	
Department issuing MSDS: Research & Development	
Contact: Kontakt: msds@dinol.com oder Tel.: 0049 (0)5281 982 980	
Abbreviations and acronyms: BID: Biolement intermedianel and arrest to temperate the memolynelines demonstrates and the intermediates of the	ations Concomine the
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regul International Transport of Dangerous Goods by Rail)	allons Concerning the
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concer	rning the International
Carriage of Dangerous Goods by Road)	ning the International
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1: Flammable gases, Hazard Category 1	
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1	
Press. Gas C: Gases under pressure: Compressed gas	
Flam. Liq. 3: Flammable liquids, Hazard Category 3	
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Asp. Tox. 1: Aspiration hazard, Hazard Category 1	
* Data compared to the previous version altered.	